

CITY OF AURORA, OHIO


(Job No. 21001)

Horizontal datum - NAD83(95)

Vertical datum - NAVD88

Ohio - North Zone

**Canter Surveying/GPS Services
227A Columbus Road
Athens, Ohio 45701
(740) 592-5706**



CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-01	4/01	Index	County PORTAGE	Range
Grid Zone OH-N		Elev. 1003.70'		Town
Lat. 39-20-25.8687		N 611775.66	Position Established by: GPS	Sec.
Long. 81-23-15.8838		E 2273910.57	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-01".

THE STATION IS LOCATED 24' EAST OF AURORA LAKE ROAD, AND 105' EAST OF THE INTERSECTION OF NAUTILUS TRAIL ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-02	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1062.36'	Position Established by: GPS		
Lat. 41-20-18.3930		N 611094.85			
Long. 81-21-58.7625		E 2279802.44	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-02".

THE STATION IS LOCATED 29' EAST OF SR 43 (N. AURORA RD), AND 29' EAST OF THE INTERSECTION OF AURORA LAKE ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-03	4/01	Index	County PORTAGE	Range
Grid Zone OH-N		Elev. 1168.38 1168.40'	Position Established by: GPS	Town
Lat. 41-20-23.9073		N 611682.49		Sec.
Long. 81-21-29.0349		E 2282062.53	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-03".

THE STATION IS LOCATED 20' NORTH OF CLUB WEST ROAD, AND +/- 1200' EAST OF THE INTERSECTION OF TREAT ROAD NEAR RESIDENCE #715.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-04	4/01	Index	County PORTAGE	Range
Grid Zone OH-N	Elev. 1062.56'	Position Established by: GPS		
Lat. 41-20-29.7831	N 612322.08	Elevation Established by: GPS		
Long. 81-20-44.2558	E 2285469.96			

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-04".

THE STATION IS LOCATED 29' NORTH OF TREAT ROAD, AND 200' WEST OF THE INTERSECTION OF NORTH CHILLICOTHE ROAD.




REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-05	4/01	Index	County PORTAGE	Range
				Town
Grid Zone OH-N		Elev. 1119.61'	Position Established by: GPS	
Lot. 41-20-50.5829	N	614548.42		
Long. 81-18-45.6885	E	2294484.21	Elevation Established by: GPS	

Survey of _____

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-05".
 THE STATION IS LOCATED 23' SOUTH OF CRACKEL ROAD, 88' WEST OF THE
 INTERSECTION OF PARKER ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-06	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1095.57'	Position Established by: GPS		
Lat. 41-20-50.3118		N 614543.59	Elevation Established by: GPS		
Long. 81-18-23.9683		E 2296140.99			

Survey of _____

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-06".
THE STATION IS LOCATED 25' SOUTH OF CRACKLE ROAD, +/- 1000' EAST OF THE INTERSECTION OF SNYDER ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701


REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-07	4/01	Index	County PORTAGE	Range
Grid Zone OH-N	Elev. 1023.51'		Position Established by: GPS	Town
Lat. 41-19-54.7670	N 608664.29		Elevation Established by: GPS	Sec.
Long. 81-22-38.8981	E 2276771.99			

Survey of _____

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-07".
THE STATION IS LOCATED 23' WEST OF NANCY DRIVE, 256' NORTH OF THE
INTERSECTION OF ROCK CREEK DRIVE.





227A Columbus Road
Athens, OH 45701


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-08	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1142.43'	Position Established by: GPS		
Lat. 41-19-46.3523		N 607873.24	Elevation Established by: GPS		
Long. 81-21-37.7244		E 2281449.43			

Survey of _____

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-08".
 THE STATION IS LOCATED 43' EAST OF SR 43 (NORTH AURORA ROAD), AND 75'
 NORTH OF THE INTERSECTION OF BISSELL ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-09	4/01	Index	County PORTAGE	Range
Grid Zone OH-N		Elev. 1109.69'		Sec.
Lat. 41-19-19.2782	N	605187.49	Position Established by: GPS	
Long. 81-20-43.7517	E	2285602.87	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-09".
THE STATION IS LOCATED 30' WEST OF SR 309 (NORTH CHILlicothe ROAD), AND
78' NORTH OF BARRINGTON BLVD.





CANTER SURVEYING
GPS SERVICES


227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
				Range	Town
01-10	4/01	Index	County PORTAGE	Sec.	
Grid Zone OH-N		Elev. 1143.02'		Position Established by: GPS	
Lat. 41-19-55.1637		N 608908.90		Elevation Established by: GPS	
Long. 81-19-15.7612		E 2292266.65			

Survey of CITY OF AURORA

Detailed Station Description
 THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-10".
 THE STATION IS LOCATED 25' NORTH OF PARKER ROAD, +/- 550' EAST OF THE INTERSECTION OF EGGLESTON ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-11	4/01	Index	County PORTAGE	Range
				Town
				Sec.
Grid Zone OH-N		Elev. 1141.67'	Position Established by: GPS	
Lat. 41-20-14.6055		N 610960.08		
Long. 81-17-55.3693		E 2298371.76	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-11".

THE STATION IS LOCATED 25' NORTH OF WINCHELL ROAD, AND 63' WEST OF THE INTERSECTION OF WHISPERWOOD LANE.



REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-12	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1016.62'	Position Established by: GPS		
Lat. 41-19-19.6179		N 605113.55			
Long. 81-22-32.4161		E 2277312.29	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-12".

THE STATION IS LOCATED 22' SOUTH OF SOUTH SUSSEX COURT, AND 77' EAST OF THE INTERSECTION OF COCHRAN ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-13	4/01	Index	County PORTAGE	Range Town
Grid Zone OH-N		Elev. 1093.27'	Position Established by: GPS	
Lat. 41-19-02.9198		N 603478.64		
Long. 81-21-36.9416		E 2281566.59	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-13".
THE STATION IS LOCATED 35' EAST OF NORTH BISSELL ROAD, AND 58' NORTH
OF THE INTERSECTION OF GARFIELD ROAD.



REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-14	4/01	Index	County PORTAGE	Range
				Town
Grid Zone OH-N		Elev. 1141.23'	Position Established by: GPS	
Lat. 41-19-03.0850		N 603542.63		
Long. 81-20-49.8094		E 2285162.39	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-14".

THE STATION IS LOCATED 35' NORTH OF WEST GARFIELD ROAD, AND 475' WEST OF THE INTERSECTION OF NORTH CHILLICOTHE ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-15	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1183.18'	Position Established by: GPS		
Lat. 41-19-01.6623		N 603578.81			
Long. 81-17-54.8720		E. 2298511.38	Elevation Established by: GPS		


Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-15".

THE STATION IS LOCATED 50' NORTH OF S.R. 82, AND 50' WEST OF THE INTERSECTION OF TOWNLINE ROAD.





6801 St. Rt. 56
 Athens, OH 45701
 (740) 592-5706


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-16 RESET	11/07	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1132.13'	Position Established by: GPS		
Lat. 41-18-47.4818		N 601970.14	Elevation Established by: GPS		
Long. 81-20-43.3202		E 2285678.39			

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-16 RESET".
 THE STATION IS LOCATED 34' EAST OF S.R. 306, AND 150' NORTH OF THE
 INTERSECTION OF WEST PIONEER ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-17	4/01	Index	County PORTAGE	Range
Grid Zone OH-N	Elev. 1162.41'			Town
Lat. 41-18-25.0587	N 599699.78		Position Established by: GPS	Sec.
Long. 81-20-44.4600	E 2285621.46		Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-17".
THE STATION IS LOCATED 28' WEST OF S.R. 43 & 306 (SOUTH CHILLICOTHE ROAD),
AND 40' SOUTH OF THE INTERSECTION OF AURORA-HUDSON ROAD.




REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-18	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH--N		Elev. 1105.04		Sec.	
Lat. 41-18-17.6222		N 599044.75	Position Established by: GPS		
Long. 81-19-08.9948		E 2292916.44	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-18".
 THE STATION IS LOCATED 24' SOUTH OF EAST PIONEER TRAIL, AND 46' EAST OF
 THE INTERSECTION OF PAGE ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-19	4/01	Index	County PORTAGE	Range
Grid Zone OH-N	Elev. 1140.82'		Position Established by: GPS	Town
Lat. 41-17-56.7378	N 597024.23			Sec.
Long. 81-17-39.9700	E 2299739.17		Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-19".

THE STATION IS LOCATED 23' SOUTH OF PIONEER TRAIL, AND 27' WEST OF THE INTERSECTION OF LORIS AVENUE.




REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-20 RESET	11/07	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1086.51'	Position Established by: GPS		
Lat. 41-17-41.6629		N 595252.13			
Long. 81-21-40.2994		E 2281417.78	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-20 RESET".
THE STATION IS LOCATED 30' WEST OF AURORA-HUDSON ROAD, AND 58' SOUTH
OF THE INTERSECTION OF SOUTH BISSELL ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp.	Town
01-21	4/01	Index	County PORTAGE	Range	
Grid Zone OH-N		Elev. 1204.27'	Position Established by: _____		
Lat. 41-17-29.2354		N 594049.90	Elevation Established by: _____		
Long. 81-20-45.0594		E 2285650.48			

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-21".

THE STATION IS LOCATED 42' WEST OF SR 43 & 306 (SOUTH CHILLICOTHE ROAD),
AND 28' SOUTH OF WEST MENNONITE RD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-22	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1163.34'	Position Established by: GPS		
Lat. 41-17-17.2763		N 593000.19			
Long. 81-18-09.0645		E 2297573.60	Elevation Established by: GPS		


Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-22".

THE STATION IS LOCATED 25' NORTH OF EAST MENNONITE ROAD, AND

+/- 1.2 MILES SOUTHEAST OF THE INTERSECTION OF PAGE ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-23	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1002.03'		Sec.	
Lat. 41-17-04.5476		N 591386.81	Position Established by: GPS		
Long. 81-23-31.4427		E 2272982.73	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-23".

STATION IS LOCATED 18' SOUTH OF OLD MILL ROAD, AND WEST +/- 1.5 MILES FROM THE INTERSECTION OF WHEAT FIELD DRIVE.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-24	4/01	Index	County PORTAGE	Range
				Town
				Sec.
Grid Zone OH-N		Elev. 1196.98'	Position Established by: GPS	
Lat. 41-17-02.2530	N	591319.42		
Long. 81-20-44.9494	E	2285695.02	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-24".

THE STATION IS LOCATED 50' EAST OF SR 43 & 306 (SOUTH CHILLICOTHE ROAD),
AND 44' SOUTH OF LENA DRIVE.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-25	4/01	Index	County PORTAGE	Range
				Town
				Sec.
Grid Zone OH-N		Elev. 1174.78'	Position Established by: GPS	
Lat. 41-16-51.3095		N 590284.99		
Long. 81-19-33.2813		E 2291180.71	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-25".

THE STATION IS LOCATED 30' WEST OF PAGE ROAD, AND 68' WEST OF THE INTERSECTION OF BARTLETT ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-26	4/01	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1153.13'	Position Established by: GPS		
Lat. 41-18-55.5611		N 602763.34			
Long. 81-21-07.5722		E 2283817.17	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-26".

THE STATION IS LOCATED JUST NORTH OF THE PARKING LOT AT AURORA CITY SERVICE BUILDING.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
01-27	4/01	Index	County PORTAGE	Range
Grid Zone OH-N	Elev. 1028.33'		Position Established by: GPS	Town
Lat. 41-16-33.7840	N 588354.49		Elevation Established by: GPS	Sec.
Long. 81-22-08.8410	E 2279328.48			


Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-27".

THE STATION IS LOCATED 30' WEST OF AURORA-HUDSON ROAD, AND +/- 500' SOUTH OF THE INTERSECTION OF KIMBERLY DRIVE.





6801 St. Rt. 56
Athens, OH 45701
(740) 592-5706


REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-28 RESET	11/07	Index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1175.80'	Position Established by: GPS		
Lat. 41-16-35.1130		N 588573.23	Elevation Established by: GPS		
Long. 81-20-44.6066		E 2285757.54			

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-28 RESET".
THE STATION IS LOCATED 40' EAST OF S.R. 43 & 306 (SOUTH CHILLICOTHE ROAD),
AND +/- 2500' SOUTH OF LENA DRIVE.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK


Description of Mark	Date	Quad.	State OHIO	Twp. AURORA	
01-29	4/01	index	County PORTAGE	Range	Town
Grid Zone OH-N		Elev. 1163.41'	Position Established by: GPS		
Lat. 41-16-35.3844		N 588709.43			
Long. 81-18-58.3589		E 2293868.51	Elevation Established by: GPS		

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "01-29".

THE STATION IS LOCATED 22' NORTH OF BARTLETT ROAD, AND +/- 3000' SOUTHEAST OF THE INTERSECTION OF PAGE ROAD.





CANTER SURVEYING
GPS SERVICES

227A Columbus Road
Athens, OH 45701

REPORT ON ESTABLISHMENT OF SURVEY MARK

Description of Mark	Date	Quad.	State OHIO	Twp. AURORA
CWL101	4/00	Index	County PORTAGE	Range
Grid Zone OH-N		Elev. 1195.23' <i>1022.29'</i>	Position Established by: GPS	Town
Lat. 41-17-38.6139		N 595000.11		Sec.
Long. 81-20-43.9551		E 2285722.21	Elevation Established by: GPS	

Survey of CITY OF AURORA

Detailed Station Description

THE STATION IS A BRASS TABLET SET IN CONCRETE AND STAMPED "CWL101 1952".
THE STATION IS LOCATED ON STATE ROUTE 43 0.2 MILES NORTH OF THE
INTERSECTION OF WEST MENNONITE ROAD, 34 FEET EAST OF THE CL.

