



City of Aurora, Ohio - Planning, Zoning and Building Division

129 W. Pioneer Trail, Aurora, OH 44202 330.562.9564 Fax: 330.562.9719 www.auroraoh.com

ACCESSORY BUILDINGS (LARGER THAN 200 SQ. FT.)

APPLICATION SUBMITTALS

ACCESSORY STRUCTURES larger than 200 square feet-- storage sheds, detached garages, pole buildings, barns or other similar structures require submittal of the following:

1. Completed Building Permit Application.
2. A \$87.50 non-refundable deposit. Make checks payable to City of Aurora.
NOTE: *This is an application deposit only. Additional fees may be owed upon issuance of permit.*
3. For the City Architect's Review: **Two Complete Sets of Construction Plans are required.**
For ABR's Review: **Seven Sets of 11" x 17" Plans—only elevations and floor plans are required.**
4. A Site Plan.
5. Photographs (one set) of existing house and the location of the proposed structure.
6. Approvals necessary prior to issuance of a permit:
 - a. Zoning Inspector (see attached Zoning requirements)
 - b. Plan Review
 - c. Architectural Board of Review**
 - d. Planning, Zoning and Building Division Director
7. All contractors/subcontractors must be registered with the Planning, Zoning & Building Division.
8. Inspections required:
 - a. Footer/Posthole
 - b. Foundation
 - c. Drain Tile/Downspout
 - d. Framing & Rough Mechanicals
 - e. Insulation
 - f. Final

**** All Accessory Buildings larger than 200 square feet must be approved by the Architectural Board of Review. ABR meets on the fourth Thursday of each month except for November and December when it meets on the second Thursday of the month. ABR submittal deadline is ten (10) days prior to the meeting.** 3/10/2016

City of Aurora, Ohio

ZONING REQUIREMENTS FOR ACCESSORY BUILDINGS

1. Any Accessory Building must be built:
 - After the main residence is constructed
 - In the rear yard, completely behind all attachments to the dwelling, including a deck, etc.
 - At least 15' from the dwelling and all attachments, including a deck, etc.
 - At least 10' from the rear property line. *Exception: in the R-5 district, it is 8' from the rear.*
 - At least 10' from the side property line. *Exception: in the R-5 district, it is a 6' minimum on one side, both sides must total a minimum of 16'.*
 - Detached garages used to store vehicles must meet the setback requirements of the principal building. Call Office for setback information at 330-562-9564.
2. No more than two Accessory Buildings can be built on any residential lot.
3. If the **lot size is less than one acre**, the Accessory Building **must** be:
 - Maximum of 576 square feet
 - Maximum of 15' in height
4. If the **lot size is at least 1 acre but less than 1.5 acres**, the Accessory Building **must** be:
 - Maximum of 1,000 square feet
 - Maximum of 15' in height
5. If the **lot size is at least 1.5 acres but less than 3.0 acres**, the Accessory Building **must** be:
 - Maximum of 2,000 square feet
 - Maximum of 15' in height
6. If the **lot size is at least 3.0 acres and up to and including 5.0 acres**, the Accessory Building **must** be:
 - Maximum of 2,000 square feet
 - Maximum of 25' in height
7. If the **lot is over five acres** and is occupied by a dwelling or other permitted use, the accessory building **must** be:
 - Maximum of 3,000 square feet
 - Maximum of 25' high in height
8. On a corner lot, the Accessory Building must conform to the required setbacks for the principal building on both frontages.
9. **If the Accessory Building (animal pen or shelter) is to be used for small animals/household pets:**
 - It must be in the rear yard
 - It must be more than 20' from a side property line
 - It must be more than 10' from a rear property line
 - A Shelter must be smaller than .5% of the minimum lot size and less than 10' high
 - A Pen must be less than 6' high
 - A combination of a Shelter and Pen must have a total area of less than 1% of the minimum lot size
10. **If the Accessory Building is to be used for animals other than household pets:**
 - It must be on a lot not less than three acres
 - It must be at least 100' from any property line

**THIS IS A SUMMARY OF GENERAL REQUIREMENTS
WHICH MAY NOT BE LIMITED TO THE ABOVE ITEMS**

7/11/2016

PERMIT # _____

Parcel No. _____

Zoning _____ S/L _____ G/L _____



City of Aurora, Ohio - Planning, Zoning and Building Division

129 W. Pioneer Trail, Aurora, OH 44202 330.562.9564 Fax: 330.562.9719 www.auroraoh.com

BUILDING PERMIT APPLICATION ACCESSORY BUILDINGS (LARGER THAN 200 SQ. FT.)

PLEASE PRINT:

Project Address: _____ Sublot No. _____

Owner's Name: _____ Email: _____

Owner's Address (if different than above): _____

City _____ State _____ Zip Code _____ Phone _____

General Contractor Name: _____

Address: _____ City _____ State _____ Zip Code _____

Phone _____ Cell _____ Fax _____ Email: _____

PROJECT INFORMATION:

Type of Project: _____

Project Cost: \$ _____ Height _____ Length _____ Width _____ Total Sq. Ft. _____

Siding Type _____ Foundation Type _____

Electric: Yes _____ No _____ Heated: Yes _____ No _____ Driveway/Walkway: Yes _____ No _____

Number of Existing Accessory Structures on Property: _____

Acceptance of the permit herein applied for shall constitute an agreement on my/our part to abide by all conditions herein contained and to comply with all ordinances of the City of Aurora and the laws of the State of Ohio relating to all work to be done thereunder; and said agreement is a condition of said permit.

Applicant Signature _____

Sign & Print Name

Owner/Agent

**ALL CONTRACTORS/SUBCONTRACTORS MUST BE REGISTERED WITH THE CITY OF
AURORA BEFORE PERMITS ARE ISSUED.**

NAME AND ADDRESS

GENERAL _____

EXCAVATOR _____

MASON _____

CARPENTER _____

PLUMBER _____

ELECTRICIAN _____

HVAC _____

CONCRETE _____

INSULATION _____

ROOFER _____

SIDING _____

DOWNSPOUTS _____

OTHER _____

OTHER _____

OTHER _____

OTHER _____

FOR PLANNING, ZONING & BUILDING DIVISION USE ONLY

DATE APPLICATION RECEIVED _____

RECEIVED BY _____ DEPOSIT AMT. \$87.50

Building \$ _____

Comp. Dep. \$ _____

Electrical \$ _____

HVAC \$ _____

Concrete \$ _____

Fireplace \$ _____

Occupancy \$ _____

Plan Review \$ _____

Plumbing \$ _____

Zoning \$ _____

Other \$ _____

1% State Fee \$ _____

SUBTOTAL \$ _____


Deposit - \$ 87.50

TOTAL \$ _____

PERMIT PAID BY: _____

DATE: _____

SITE PLAN



RIGHT-OF-WAY LINE

EDGE OF STREET PAVEMENT

CENTER LINE OF STREET

1. SHOW LOCATION OF ALL EXISTING STRUCTURES: HOUSE, GARAGE, DRIVEWAY, ACCESSORY BLDGS., ETC.
2. SHOW LOCATION OF PROPOSED STRUCTURE AND HOW MANY FEET FROM ALL PROPERTY LINES



City of Aurora, Ohio

ARCHITECTURAL BOARD OF REVIEW

RESIDENTIAL GUIDELINES

RESIDENTIAL PROJECTS

These guidelines endeavor to protect an important aspect of the economic base of the City of Aurora by preventing the destruction of the natural environment and to enhance property values by controlling design, material types and architectural elements. This unique character is encouraged and controlled.

Exposed Foundations:

All exposed foundations shall be constructed of brick or stone materials which give a permanent dimensional appearance on all sides. All exterior materials shall be approved by the Architectural Board of Review. *Exception: All exposed foundation materials for additions and accessory buildings over 200 square feet shall match the existing residence.*

Chimneys:

All fireplace chimneys, including direct vent, which project through the roof shall be constructed of brick or stone materials. *Exception: direct fireplace venting through a wall shall be located at the rear of the residence.*

Stacks:

Any stack with a diameter of six inches (6") or greater which extends through the roof must be enclosed with an acceptable chimney facing material that gives the appearance of brick or stone. Vinyl and aluminum are not acceptable means of wrap or enclosure. All stacks must be installed on the rear side of the roof ridge.

Windows:

Windows are required on all elevations of a residence. If windows on the front elevation have muntins, then the side windows shall have muntins. If windows on the front elevation have shutters, the Board may require the side windows to also have shutters to match for the purposes of consistency. If the front windows have wide casings, then the side windows shall also have wide casings. All windows without shutters shall have a minimum of a four inch (4") wrap. Glass block is not permitted on front elevations. The Architectural Board

shall have the right to reject glass block windows on other elevations if the windows are considered too large.

Bay Windows (i.e. projecting windows):

All bay window projections located on the first floor of the front elevation **where the bottom of the Bay Window support structure is 4'-0" or less above finished grade** must have the appearance of bearing on a solid foundation consisting of materials matching the foundation wall of the house or main structure. A bay window projection on the side or rear elevations or on the front elevation where the bottom of the Bay Window support structure is greater than 4'-0" above finish grade can be cantilevered. Finish grade shall be the grade contour at the Bay Window location as shown on the approved site/topographical plan.

Bow Windows:

All bow window projections located on the first floor of the front elevation should extend to grade and must have the appearance of a solid foundation wall. A bow window that projects more than two feet (2') must bear on a foundation. Foundation walls, either in appearance or in function, shall consist of materials matching the foundation walls of the house or main structure.

Overhead Doors:

All garages must have doors and the colors shall complement the residence. Garage doors shall not face the street or right-of-way. *Exception: The Architectural Board may approve front elevation garages for hardship reasons. Items of hardship shall include, but are not limited to, a narrow lot, a ravine, or large trees provided such hardship is not created by the project owner/planner.*

Skylights:

Skylights shall not be visible from the street or road on which the house/structure fronts.

Exterior Wall Materials and Style of Architecture:

All exterior wall materials and the style of architecture shall be approved by the Architectural Board. Residences of an established traditional style shall have all materials, colors, roof pitches, windows, architectural details and proportions consistent with that particular style as approved by the Architectural Board. A change in exterior wall materials from the front elevation to the sides must wrap a minimum of two feet (2') around the corners and onto the sides. The use of exterior insulating finishing systems (E.I.F.S.) as a siding material must be no more than a nominal portion of the total exterior and only as approved by the Architectural Board.

Additions to Existing Residences:

All additions shall match the materials, colors, roof pitch, windows and architectural style of the existing residence. Any color or material on an addition shall require all remaining areas on the house and all appendages to match the new addition within a year of the Architectural Board approval. *Exceptions: as approved by the Architectural Board.*

Accessory Buildings Over 200 Square Feet:

Accessory buildings over 200 square feet must have a solid foundation as required by the Ohio Building Code. Such exposed foundations may be required to match the residence. Windows may be required by the Board at its discretion. Any accessory building within 50 feet of a residence or visible from the right-of-way or neighboring structure shall match the colors of the residence.

Accessory Buildings 200 Square Feet or Less:

Any accessory building 200 square feet or less shall match the colors of the residence. These structures will not require a review by the Architectural Board.

Three-Season Rooms:

All three-season rooms shall match the materials, colors, and architectural style of the residence. All three-season rooms shall have the appearance of a solid foundation. Foundation walls shall consist of materials matching the foundation walls of the house or main structure.

Metal Roofs:

Metal roofs are generally prohibited on any structure unless the Board determines the application overcomes the criteria in ACO 1321.03(b).

Note: Exceptions to these guidelines may be made at the discretion of the Architectural Board of Review.